

5/14/09-05562

Marrow, Monica/VBO

From: Capito, Bonnie P CIV NAVFAC Lant [bonnie.capito@navy.mil]
Sent: Tuesday, May 19, 2009 7:51 AM
To: Francois, Aretha/VBO; Marrow, Monica/VBO
Subject: FW: MCAS Cherry Point, OU1 Draft Supp. Investigation Site 17 - EPA comments
Signed By: There are problems with the signature. Click the signature button for details.

Follow Up Flag: Follow up
Flag Status: Yellow

Attachments: Draft Supplemental Invest. - EPA comment May 2009.pdf



Draft Supplemental
Invest. - E...

-----Original Message-----

From: Nielsen, Janice L CIV NAVFAC MidLant
Sent: Tuesday, May 19, 2009 7:48
To: Capito, Bonnie P CIV NAVFAC Lant
Subject: MCAS Cherry Point, OU1 Draft Supp. Investigation Site 17 - EPA comments

EPA comments on the Supplemental Investigation for site 17 OU1

Jan Nielsen
NAVFAC Mid-Atlantic
Remedial Project Manager, Cherry Point MCAS Marine Corps North Carolina IPT
(757)322-8339

-----Original Message-----

From: Townsend.Gena@epamail.epa.gov [mailto:Townsend.Gena@epamail.epa.gov]
Sent: Thursday, May 14, 2009 10:31
To: Nielsen, Janice L CIV NAVFAC MidLant
Cc: Bill.Hannah@CH2M.com; Doug.Bitterman@CH2M.com; erica@rhea.us;
jeffrey.christopher@usmc.mil; Tim.Wenk@CH2M.com; george.lane@ncmail.net
Subject: Draft Supp. Investigation Site 17 - EPA comments

See Attached

(See attached file: Draft Supplemental Invest. - EPA comment May 2009.pdf)

Gena D. Townsend
US EPA
61 Forsyth Street, SW
Atlanta, Georgia 30303
Tel. No: (404) 562-8538
Townsend.Gena@epa.gov



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 4
SAM NUNN ATLANTA FEDERAL CENTER
61 FORSYTH STREET, S.W.
ATLANTA, GEORGIA 30303

May 14, 2009

Ms. Jan Nielsen
NAVFAC Mid-Atlantic
OPNCEV
9742 Maryland Avenue
Norfolk, VA 23511

SUBJ: MCAS Cherry Point
Draft Supplemental Investigation
Operable Unit 1 – Site 17

Dear Ms. Nielsen:

The Environmental Protection Agency (EPA) has completed its review of the above subject document. The document identifies a potential unacceptable risk to future residential receptors use of shallow groundwater. The document further identifies the contaminants of concern as Dieldrin (eastern area) and PCBs (central and eastern area).

EPA acknowledges that the groundwater samples were collected using temporary wells and particulates could have been entrained in the sample media. It is EPA's recommendation to install permanent wells in the areas of question in an effort to verify the levels of contamination. If the contaminant levels are confirmed, the wells could be used as future monitoring points for the selected remedy.

If there are any questions, I can be reached at (404) 562-8538.

Sincerely,
Gena
Townsend
Gena D. Townsend
Senior Project Manager

Digitally signed by Gena Townsend
DN: cn=Gena Townsend, o=US, ou=Superfund
Division: Federal Facilities Branch, ou=EPA,
email=townsend.gena@epa.gov
Reason: I have reviewed this document
Date: 2009.05.14 10:25:54 -0400

cc: George Lane, NCDENR
Jeff Christopher, MCAS Cherry Point